

65E High Carbon Chrome Manganese Steel Wire-Copper Coated

Material Data Sheet

Introduction

This data sheet is offered as guidance for our standard range of products. Additional product variants and technical information, including MSDS sheets, are available from Metallisation

Related Specifications

BS EN ISO 14919:2015-5.6

Typical Composition

Typical composition of material given by % weight.

Element	Minimum	Maximum
C	0.97	1.23
Si	0.12	0.38
Mn	1.76	2.27
P		0.025
S		0.025
Cr	1.65	1.95
Ti	0.13	0.35
Fe	Remainder	

Packaging Form

Packaging	Weight (Kg)	Tolerance (Kg)
Coil	20KG	+/-2.0KG
MIG (D300)	15KG	+/-0.5KG